

## Product Specification Sheets

### เอกสารแสดงคุณสมบัติผลิตภัณฑ์



imageRUNNER C1325	
<b>Basic Information</b>	
<b>Printing Technology:</b>	Color Laser Multifunctional Device

SPECIFICATIONS	Canon imageRUNNER C1325	
Type	Color Laser Multifunctional Device	
Maximum Original Size	A4	
Acceptable Originals	Sheet, book, and three dimensional objects (up to 2kg)	
Paper Size	Cassette 1	A4, B5, A5, and Custom size (98.4 x 190.5mm - 216 x 355.6mm) and Envelopes (COM10 No.10, Monarch, DL, and ISO-C5)
	Cassette 2 to 4	A4, B5, A5, and Custom size (98.4 x 190.5mm - 216 x 355.6mm)
	Multi-Purpose Tray	A4, B5, A5, and Custom size (98.4 x 190.5mm - 216 x 355.6mm) and Envelopes (COM10 No.10, Monarch, DL, and ISO-C5)
Paper Weight	Cassette 1	60 – 163 gsm
	Multi-Purpose Tray	60 – 220 gsm
Paper Capacity	Cassette 1	550 sheets (80 gsm)
	Cassette 2 to 4	100 sheets (80 gsm)
Resolution	Scan	300 x 300 dpi
	Copy	600 x 600 dpi
	Print	600 x 600 dpi
Copy/Print Speed	Monochrome / Color	25 / 25 ppm
Magnification	Copy Ratio	25-400%
First Copy Time	Full Color	10.5 seconds
	Monochrome	8.4 seconds
Warm-Up Time	From Power On	34 seconds or less
	From Sleep Mode	10 seconds or less
Multiple Copies/Prints	1 to 999 copies	
Memory	1 GB RAM	
Interface	Network	Ethernet 10Base-T / 100Base-TX / 1000Base-T (RJ-45)
	Others	USB 2.0 x 2 (Host), USB 2.0 (Device), USB 1.1 (Host)
Power Supply	220 -240V AC, 50/60Hz, 3.7A	
Max Power Consumption	1.5kW or less When the machine is in the Sleep mode* : 1 W When the main power switch is turned OFF : 0.1 W or less *Depending on the system and conditions of use, these values may differ.	
Toner Yield (A4, 6% coverage)	Black : 16,500 Color (Cyan, Yellow, Magenta) : 11,500	
Drum Yield	Black : 37,900 Color (Cyan, Yellow, Magenta) : 23,600	
Dimensions (H x W x D)	610mm x 511mm x 549mm	
Weight	Approx. 44 kg	
Installation Space (W x D)	852mm x 564mm (when the multi-purpose tray is extended)	

PRINT SPECIFICATIONS		
PDL	UFR II (Standard), PCL5c/6 (Optional), Adobe PostScript 3 (Optional)	
Resolution	600 dpi x 600 dpi	
Supported OS	UFR II	Windows XP, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Mac OS X (10.4.9 or later*)
	PCL	Windows XP, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012
	Adobe PostScript 3	Windows XP, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Mac OS X (10.4.9 or later*)
Network Protocol	TCP/IP (LPD / Raw / IPP / IPPS / FTP / WSD / SMB / FTP), IPv6, IPX / SPX (NDS, Bindery), AirPrint	
Pull Scan	Network TWAIN Driver (75 – 600 dpi 24bit color / 8bit grayscale / 2bit Black&White)	
SEND SPECIFICATIONS		
Scan Speed (A4, 300 dpi)	Black & White / Color : 51 / 51 ipm	
Scan Resolution	300 x 300 dpi	
Destinations	E-Mail (SMTP), PC Network Folders (SMB, FTP)	
Standard File Format	PDF	PDF, Searchable PDF, Compact PDF, Compact & Searchable PDF
	Others	TIFF, JPEG
Optional File Format (Send PDF Security Feature Set-E1)	PDF	Device Signature PDF, User Signature PDF
AUTOMATIC DOCUMENT FEEDER		
Size of Originals	A4, B5, A5 and B6	
Original Paper Weights	One-sided originals*	50 – 105 gsm
	Two-sided originals	64 – 105 gsm
	*When scanning only one sheet of paper, originals from 50 to 128 gsm are supported.	
Tray Capacity	50 sheets (80 gsm)	
Original Scanning Speed	Copying: 1-sided scanning: 15 sheets/minute (A4 in Black-and-White/Full Color at 300 x 600 dpi)  Scanning: 1-sided scanning: 25 sheets/minute (A4 in Black-and-White/Full Color at 300 x 300 dpi)	

<b>OPTIONAL ACCESSORIES</b>	
<b>CASSETTE FEEDING UNIT – AJ1</b>	
Paper Sizes	A4, B5, A5, and Custom size 98.4 x 190.5 mm to 216 x 355.6 mm
Paper Capacity	550 sheets x 1 cassette (80 gsm)
Power Source	From the main unit
Power Consumption	Approx. 25W
Dimensions (H x W x D)	425mm x 511mm x 508mm
Weight	Approx. 15 kg
<b>CASSETTE FEEDING UNIT-AK1</b>	
Paper Sizes	A4, B5, A5, and Custom size (98.4 x 190.5 - 216 x 355.6mm)
Paper Capacity	550 sheets (8 g/m <sup>2</sup> ) x 3
Power Source	From the main unit
Power Consumption	Approximately 35W
Dimensions (H x W x D)	425 x 511 x 508mm
Weight	Approx. 19kg
<b>OTHER ACCESSORIES AND SUPPLIES</b>	
Copy Card Reader-F1, Card Reader Attachment-H1, Super G3 FAX Board, Cassette Heater Unit-39, FL Cassette-AV1, Copy Control Interface Kit-A1, ADF Access Handle-A1, PCL Printer Kit-AZ1, PS Printer Kit-AZ1, Barcode Printing Kit-D1, USB Direct Print (PDF)-K1, NPG-65 Drum Unit K/C/M/Y, NPG-66 Toner K / C / M / Y	

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.